

# adapt<sup>®</sup> 700 easiSpec

## Seating Assessment / Specification Form

### User Weight






### User Height

Min: 1500mm  
Max: 2200mm

### Chair Action

Asynchronous  
Pelvic-Tilt



- ① Seat to shoulder (Back Height)
- ② Back of buttock to back of knee (Seat Depth)
- ③ Hip width at widest point (Seat width)
- ④ Floor to underside of knee (Seat Height)

Min	Max
450mm	660mm
420mm	610mm
620mm	620mm
430mm	640mm

Client .....

Company .....

Assessor .....

Date .....

## Seating Assessment / Specification Form

## BACK REST

Please tick  
required optionPlease enter  
required  
dimensions

## CHAIR CODE


Width Reduction

Height Reduction

700

Not Available

HEIGHT ..... mm



- The Back Width on the adapt700 is standard at 560mm. The Back Height however may be customised to allow for more comfortable positioning of Neck Rest (if required).
- Minimum Back Height available 450mm  
Please state required height
- If using a neck support, subtract 80mm from the Nape of Neck measurement in order to calculate ideal back height

## SEAT

Please enter  
required  
dimensions

## CHAIR CODE


Width

Depth Required

700

WIDTH: 620 mm

DEPTH: to.....mm



- Use Back of Buttock to Back of Knee measurement and subtract 30mm to calculate the optimum seat depth
- Seat depth is 570mm as standard but can be reduced to a minimum start point of 420mm
- Seat Width is fixed standard at 620mm

## SEAT HEIGHT

Please tick  
required option  
(approx height)

## GAS CODE

HD 9"

HD 7"


HD 5"

SLOCK 7

SLOCK 9

GAS COLUMN

SWIVEL LOCK



ON OFF


## BASE

Please tick  
required option

HD Aluminium Base as standard




Movement Lock<sup>™</sup>  
(Non-Swivel Gas fitted  
as standard. Please specify  
height required.)



## ARM OPTIONS

## Level One Adaptations

☒ Please tick required option



ARM CODE

HAA

1234

3D Trigger

4D

## ARM PAD ENHANCEMENTS

☒ Please tick required option



PAD CODE

UPARM


GEL PADS

Compatible with HAA &amp; 1234

- Standard seat surface to underside of arm
- Arm Height is 150 - 240mm

## HEAD SUPPORT

☒ Please tick required option



HEAD CODE

HEAD REST

NECK ROLL


NECK CURVE

V-REST

## SEAT ENHANCEMENT

## Level Two Adaptations

☒ Please tick required option



ENHANCE CODE


/CC

/CZ

MFS

/TS

☒ Please tick required option



WAVE SEAT

ENHANCE CODE

WAVE

Please specify required SEAT DEPTH

ie. Back of Buttock to Back of Knee L&amp;R -30mm

R (when sitting) .....mm


L (when sitting) .....mm

Measure distance from seat surface to centre of Air Cell and enter as X+



400

LOCATE CENTRE OF AIR CELL AT X+ .....MM



LUMBAR CELL

(STD)

Unless stated otherwise, lumbar cell position will be centred at approx 180mm above seat surface as standard


**(OPTIONAL)  
BACK  
ENHANCEMENTS**

Please tick box option and state the required dimensions if different from those shown


# Level two Adaptations (continued)

adapt<sup>®</sup> 700 easiSpec

4



Measure distance from seat surface to centre of Air Cell and enter as X+




SACRAL CELL

LOCATE CENTRE OF AIR CELL AT


X+ .....mm

CODE

SACRAL CELL



Measure distance from seat surface to centre of Air Cell and enter as X+




/3LUM REACTIVE LUMBAR CELL

LOCATE CENTRE OF AIR CELL AT

X+ .....mm


CODE

/3LUM



Measure distance from seat surface to centre of Air Cell and enter as X+

Measure distance from centre of back rest to centre of Air Cell and enter as Y+/-



/VSL /VSR VERTICAL CELL


LOCATE CENTRE OF AIR CELL AT

X+ .....mm  
Y+ .....mm  
Y- .....mm

CODE


/VSR

/VSL



Measure distance from seat surface to centre of Air Cell and enter as X+

If not using centrally, measure distance from centre of back rest to centre of Air Cell and enter as Y+/-




THORACIC CELL

LOCATE CENTRE OF AIR CELL AT

X+ .....mm  
And (if not central)  
Y+ .....mm  
Y- .....mm

CODE

/THOR



Sculpted Back Foam and Bespoke Seat Shaping. Please provide separate detailed informaion

SOFT WHEEL CASTORS

CODE SWC

BRAKE UNLOADED CASTORS

CODE BUC

BRAKE LOADED CASTORS

CODE BLC

CODE

MFB

SCULP